

ENERGY LABEL SPECIFICATION

Suppliers name	Deekax Air Oy		
Model identifier	DIVK-C96 CDRH R, DIVK-C96 CDRH L		
	cold	average	warm
SEC, kWh/(m ² ·a)	-71,94	-35,22	-11,96
SEC-class	A+	A	E
Declared topology	RVU/BVU		
Type of drive	Variable speed		
	2		
Type of heat recovery	Recuperative		
Thermal efficiency of heat recovery %	80,8		
Maximum flow rate , m ³ /h	306		
Electric power input of the fan drive (W)	267		
Sound power level (Lwa)	37		
Reference flow rate , m ³ /s	0,06		
Reference pressure difference (Pa)	50		
SPI, W/(m ³ /h)	0,36		
The general classification	Ducted ventilation unit		
Control factor	Centralized as needed		
Maximum internal leakage rate %	2,2		
Maximum external leakage rate %	1,1		
Filter change	In user manual and service interval reminder on the control panel		
Internet address	www.deekaxair.fi		

AEC (the annual electricity consumption) kWh /a

cold	9,5
average	4,1
warm	3,7

AHS (the annual heating saved) kWh

cold	85,6
average	43,8
warm	19,8



ENERG


енергия · ενέργεια

Y
IE

UA
IA

DEEKAX AIR

DIVK-C96CDRH



A

37
dB



306 m³/h



ENERGIA · ЕНЕРГІЯ · ΕΝΕΡΓΕΙΑ · ENERGIJA · ENERGY · ENERGIE · ENERGI
2016